



/ Absolute freedom, absolute spatiality, absolute creativity.

The Euclidean representations of the Fundamental States of light:
direct, indirect and diffuse.

The possibility to take light anywhere, freely,
without any electrical constraints.

Each product lives its own life, but can be integrated and blended with
others. **Endless** can be used to power **Infinito, Flash, Ohm**.

Technology helps to break down the boundaries.

Intangible, almost invisible materials, hidden, camouflages conductors,
thin cobwebs of filaments that carry and draw the light.

Light running on digital tracks, ultra-light and almost invisible wires,
modular tapes that can be laid limitlessly on
stairs, windows, glass panels.

Circuit that close, accent lighting, ultra-light diodes.

Different, modular and compatible products together with Endless.

All this is part of our Sistemi.




The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPi - 2016
WALL LAMP - METAL



INFINITO 6



1A2250403.27.05	MATT BLACK - 2700K - DIM	INFINITO 6 - REMOTE KIT 24 V DC - MAX 45 W LED 2700K - 5592 lm - CRI>90 / 3000K - 5700 lm - CRI>90 LED MODULE 6 m / 236.22" LONG - HARMONIC STEEL STRIP 19 mm / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" INCLUDES INDEPENDENT POWER SUPPLY KIT INPUT 120 V - 60 Hz DALI - PUSH - 0/1-10 V - TRIAC/IGBT DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED
1A2250403.30.05	MATT BLACK - 3000K - DIM	

1A2250403.27.06	MATT BLACK - 2700K	INFINITO 6 - PLUG KIT 24 V DC - MAX 45 W LED 2700K - 5592 lm - CRI>90 / 3000K - 5700 lm - CRI>90 LED MODULE 6 m / 236.22" LONG - HARMONIC STEEL STRIP 19 mm WIDE / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" INCLUDES INDEPENDENT POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz DIMMER OPTIONAL ACCESSORIES NOT INCLUDED
1A2250403.30.06	MATT BLACK - 3000K	




The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPI - 2016
WALL LAMP - METAL



INFINITO 12




1A2260403.27.05	MATT BLACK - 2700K - DIM	INFINITO 12 - REMOTE KIT 24 V DC - MAX 90 W LED 2700K - 11184 lm - CRI > 90 / 3000K - 11400 lm - CRI > 90 LED MODULE 12 m / 472.44" LONG - HARMONIC STEEL STRIP 19 mm / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" - LENGHTS AVAILABLE ON REQUEST 18 m - 24 m / 708.66" - 944.88" INCLUDES INDEPENDENT POWER SUPPLY KIT INPUT 120 V - 60 Hz DALI - PUSH - 0/1-10 V - TRIAC/IGBT DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED
1A2260403.30.05	MATT BLACK - 3000K - DIM	



1A2260403.27.06	MATT BLACK - 2700K	INFINITO 12 - PLUG KIT 24 V DC - MAX 90 W LED 2700K - 11184 lm - CRI > 90 / 3000K - 11400 lm - CRI > 90 LED MODULE 12 m / 472.44" LONG - HARMONIC STEEL STRIP 19 mm / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" - LENGHTS AVAILABLE ON REQUEST 18 m - 24 m / 708.66" - 944.88" INCLUDES INDEPENDENT POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz DIMMER OPTIONAL ACCESSORIES NOT INCLUDED
1A2260403.30.06	MATT BLACK - 3000K	

REMOTE POWER SUPPLY KIT

INFINITO 6 / FLASH 6 / INFINITO 12 / FLASH 12
DRIVER DIMENSION





CONTROLLER DIMENSION










POWER SUPPLY KIT WITH PLUG

INFINITO 6 / FLASH 6 / INFINITO 12 / FLASH 12
POWER KIT WITH PLUG - DIMENSION







OPTIONAL ACCESSORIES

1A0080400.00.00	MATT BLACK	CEILING CONNECTION KIT	
1A3440303.00.00	MATT WHITE	WALL AND CEILING ROSE COMPULSORY FOR CEILING ELECTRICAL CONNECTIONS	
1A3440403.00.00	MATT BLACK		
1A0120400.00.00	MATT BLACK	KIT WALL CONNECTION VERTICAL SLOPED 45°	
1A0340400.00.00	MATT BLACK	KIT WALL CONNECTION SLOPED RIGHT 75°	
1A0350400.00.00	MATT BLACK	KIT WALL CONNECTION SLOPED LEFT 75°	
1A0290400.00.00	MATT BLACK	SWALLOWS FOR INFINITO ONLY	
1A0800400.00.00	MATT BLACK	SWALLOWS FOR FLASH ONLY	


1A0080400.00.00 - CEILING CONNECTION KIT



1A0120400.00.00 - KIT WALL CONNECTION VERTICAL SLOPED 45°



1A0080400.00.00 - CEILING CONNECTION KIT + 1A0120400.00.00 - KIT WALL CONNECTION VERTICAL SLOPED 45°



1A0340400.00.00 - 1A0350400.00.00 KIT WALL CONNECTION SLOPED 75°

